





Pegboards.O&M Ynghyd

Pegboards

Options

Includes dimensions

View in brochure - Page 9

Material CNC cut plyboard

-Oak veneer finish

-Oak veneer - wood stained finish

-Birch veneer finish

-Lacquer seal

Installation The pegboards are mounted on split battens.

Secure the split battens to the wall with screws. Hang the pegboard panels onto the split battens.

No mechanical fasteners are required for installing the pegboards, only for the split battens. The pegboards are easily interchangable.

Maintenance Wipe with a damp cloth.

Light dusting only. Handle with care.



Accessories.O&M

Ynghyd

	Shelving	Open top boxes	Cork pin boards	Storage & cupboard units
Options Includes dimensions	View in brochure - Page 11	View in brochure - Page 12	View in brochure - Page 15	View in brochure - Page 18 / 19
Material	CNC cut ply board -Oak veneer finish -Oak veneer, wood stained finish -Birch veneer finish -Lacquer seal	MDF construction -Oak veneer finish -Oak veneer, wood stained finish -Birch veneer finish -Lacquer seal	Ply board substrate -Cork (8mm) -Natural materialPin set included	MDF construction -Oak veneer finish -Oak veneer, wood stained finish -Birch veneer finish -Lacquer seal
Installation	Push dowel through the pegboard holes. Simply pull out to remove.	Align and insert metal fasteners through the pegboard holes. Rear fastener will fall into place. Slightly lift the box up and pull out. Metal fixing are solid / robust	Align and insert metal fasteners through the pegboard holes. Rear fastener will fall into place. Slightly lift the pin board up and pull out. Metal fixing are solid / robust	Align and insert metal fasteners through the pegboard holes. Rear fastener will fall into place. Slightly lift the units up and pull out. Metal fixing are solid / robust
Maintenance	Wipe with a damp cloth. Light dusting only. Handle with care.	Wipe with a damp cloth. Light dusting only. Handle with care.	Wipe with a damp cloth. Light dusting only. Handle with care.	Wipe with a damp cloth. Light dusting only. Handle with care.



Add-ons.O&M

Ynghyd

	Pegs	Biophilic inserts	Hanging pots	Meshgrids	Magnetic board
Options Includes dimensions	View in brochure - Pages 11	View in brochure - Page 12/14/16/19	View in brochure - Page 16	View in brochure - Page 19	View in brochure - Page 20
Material	Solid oak dowels -Wood stained options -Lacquer seal	Eco-friendly material onlyInnerspace preserved foliage -Glass jars with stones / pebbles -Terracotta pots with foliage	Eco-friendly material onlyTerracotta pots -Black metal chains -Terracotta pots with foliage	Eco-friendly material onlyBlack metal meshgrids -Wooden clips included -Innerspace preserved foliage	Eco-friendly material onlyMagnetic steel board -Powder coated black -Magnets included
Installation	Push dowel through the pegboard holes. Simply pull out to remove. No mechanical fixings.	Inserts slot into various accessories. No mechanical fasteners required. Easily interchangeable.	The metal chain is hooked over the divot pegs. No mechanical fasteners required. Easily interchangeable.	Push divot pegs into pegboard holes. The meshgrid hangs on the divot pegs. No mechanical fasteners required. Easily interchangeable.	Insert the divot pegs supplied into the pegboard holes. The 'V' bracket provided with the magnetic board attaches to the back of the board and rests on the peg. Easily interchangeable.
Maintenance	Wipe with damp cloth. Light dusting only.	Light dusting only. Care should be taken to avoid damaging natural material. Do not water.	Wipe with a damp cloth. Light dusting only.	Wipe with a damp cloth. Light dusting only.	Wipe with a damp cloth. Light dusting only.

We'd love to hear from you.

01270 625043 office@innerspacecheshire.co.uk www.innerspacecheshire.co.uk

